



**PRODUCT APPROVAL OF PACKAGING
FOR
TRANSPORTATION OF DANGEROUS GOODS**

CERTIFICATE NO.: NET6715B

Holder of certificate: Emballator Ulricehamns Bleck AB, Sweden

Manufacturer: Emballator Ulricehamns Bleck AB
Box 8, (Hesters Industriområde)
SE-523 21 Ulricehamn
SWEDEN

Product:	Packaging code	Description	Product identification	Material
	1A2	Steel drum, removable head	Welded steel drum with two beadings, 20 litre. Drawing no: Easyopen 20-lit 377 mm	Steel sheet TS257 Body thickness: 0.36 mm Bottom thickness: 0.38 mm


Closing mechanism:	No. (locking ring)	Closure type	Product identification	Material	Gasket
	1	Plain lid with locking ring made of steel	Drawing no: 100377 and 100389	Steel sheet TS257 Thickness: 0.43 mm	Polyurethane
	2	Plai lid with locking ring made of plastics	Drawing no: 100386	Steel sheet TS257 Thickness: 0.43 mm	Polyurethane

Photo:



Dimensions:

Volume, litre	Height, mm	Diameter, mm
20	377	298

Marking on packaging:  **1A2/Y1.6/80/YR/N/NET6715B – ID**

"YR" to be replaced with the two last digits of the year.
 "ID" to be replaced by any identification as decided by the manufacturer.

Approval:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment.
 NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet): RSR-13-2008 (02.09.2008).
 NET issues the certification on described product according to approval from Norwegian Civil Aviation Authority (Luftfartstilsynet) based on BSL D 1-7 , § 10 , ICAO TI, Chapter 4 and UN Model Regulation, part 6.

Regulations based upon for approval:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.
 RID, International Regulations on Transport of Dangerous Goods by Rail.
 UN Recommendations on the Transport of Dangerous Goods.
 IMDG, International Maritime Dangerous Goods Code, for sea transport.
 ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IATA Dangerous Goods Regulations, for the air transport.

Approval is valid for:

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

No. (locking ring)	Packaging groups	Content	Max. relative density	Max vapour pressure at +50°C
1	II and III	Liquid substances that do not adversely affect the packaging materials	1.6	52 kPa
2	II and III	Liquid substances that do not adversely affect the packaging materials	1.6	52 kPa

Documents based upon for approval:

Report id.	Date	Issued by	Scope
NET6715A/B	01.06.2011	NET	Type testing

Lerum, Sweden: 20.06.2011
Certificate is valid until:
30.06.2016


Susanne Dahlberg
 Certification Officer



Rune Madsen Fink
 Control Officer

Nordisk Emballasje Testing AS
Certification