



**PRODUCT APPROVAL OF PACKAGING
FOR
TRANSPORTATION OF DANGEROUS GOODS**

CERTIFICATE NO.: NET0216A

Holder of certificate: Promens AS, Kambo Packaging

Manufacturer: Promens AS, Kambo Packaging
Box 3054, (Brevikveien 535)
N-1506 Moss
NORWAY

Product:	Packaging code	Description	Product identification	Material
	3H1	Plastics jerrican with non-removable head	Jerrican S3, 10 litre, with neck sizes 60 mm, 55 mm and 40 mm. Drawing no: Edition 26.01.2006	Sabic B5210


Closing mechanism:	Closure	Product identification	Material	Gasket	Closing torque
	1 Screw cap, 60 mm	Drawing no: Pilfer Proof Din 61 Manufacturer: Promens Deeside Ltd	Finathene SI508	EPE	15 Nm
	2 Screw cap, 55 mm	Drawing no: Pilfer Proof Din51 Manufacturer: Promens Deeside Ltd	Finathene SI508	EPE	15 Nm
	3 Screw cap, 40 mm	Child proof Drawing no: 40BGPP Manufacturer: Modulpac AB	Exxon Mobil HYA600	Alkozell	6 Nm

Photo:



Dimensions:

Neck size, mm	Packaging weight, g	Height, mm	Width, mm	Length, mm
60	458.2 - 481.1	312	190	230
55	450.9 - 473.4	312	190	230
40	448.2 - 470.6	312	190	230

Marking on packaging:  **3H1/Y1.9/150/YR/N/NET0216A – ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.
The packaging shall also be appropriately marked with the month of the manufacture.

Approval:

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB):
Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) RSR-13-2008 (02.09.2008).

NET issues the certification on described product according to approval from Norwegian Civil Aviation Authority (Luftfartstilsynet) based on BSL D 1-7, § 10, ICAO-TI, Chapter 4 and UN Model Regulation, part 6.

Regulations based upon for approval:

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

Approval is valid for:

Liquid substances that do not adversely affect the packaging materials.

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Packaging groups	Standard liquid	Max. relative density	Closure	Max. vapour pressure, kPa at +50°C
II and III	water	1.9	1, 2 and 3	142
II and III	n-butyl acetate	1.0	1, 2 and 3	142
II and III	wetting solution	1.2	1, 2 and 3	142
II and III	white spirit	1.0	1, 2 and 3	142
II and III	nitric acid	1.4	1, 2 and 3	142

Documents based upon for approval:

Report id.	Date	Issued by	Scope
V.6/10473/07	01.05.2007	BAM	Comparative test
NET0216A	07.06.2011	NET	Type testing

Lerum, Sweden: 28.06.2011**Certificate is valid until:****30.06.2016****Susanne Dahlberg**
Certification Officer**Rune Madsen Fink**
Control Officer**Nordisk Emballasje Testing AS
Certification**