



**PRODUCT APPROVAL OF PACKAGING  
FOR  
TRANSPORTATION OF DANGEROUS GOODS**

**CERTIFICATE NO.: NET6712A**

**Holder of certificate:** Emballator Ulricehamns Bleck AB, Sweden

**Manufacturer:** Emballator Ulricehamns Bleck AB  
Box 8, (Hesters Industriområde)  
SE-523 21 Ulricehamn  
SWEDEN

Product:	Packaging code	Description	Product identification	Material
	1A2	Steel drum, removable head	180 UN-Pail Welded body with double folded bottom.	Steel sheet TS275 Thickness body: 0.25 mm Thickness bottom: 0.30 mm

Closing mechanism:	Closure type	Product identification	Material	Gasket
	Press-in lid	Drawing no: 100031	Steel sheet TS275 Thickness: 0.25 mm	Polyuretan
	Locking ring	Drawing no: 100031	Plastics, PP	

**Photo:**



**Dimensions:**

Volume, litre	Height, mm	Diameter, mm	Drawing no.
2.5	148	191	100136
3	162	191	100135
4	202	191	100134
5	244	191	100132

**Marking on packaging:**  **1A2/Y2.0 Z3.0/100/YR/N/NET6712A – ID**

"YR" to be replaced with the two last digits of the year.

"ID" to be replaced by any identification as decided by the manufacturer.

**Approval:**

NET issues the certification on described product according to delegated authority from Norwegian Directorate for Civil Protection and Emergency Planning (DSB): Legal regulations on Transportation of Dangerous Goods on road and railway § 11-1, 7th segment.

NET issues the certification on described product according to delegated authority from Norwegian Maritime Directorate (Sjøfartsdirektoratet) RSR-13-2008 (02.09.2008).

NET issues the certification on described product according to approval from Norwegian Civil Aviation Authority (Luftfartstilsynet) based on BSL D 1-7, § 1, ICAO TI, Chapter 4 and UN Model Regulation, part 6.

**Regulations based upon for approval:**

ADR, European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID, International Regulations on Transport of Dangerous Goods by Rail.

UN Recommendations on the Transport of Dangerous Goods.

IMDG, International Maritime Dangerous Goods Code, for sea transport.

ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IATA Dangerous Goods Regulations, for the air transport.

**Approval is valid for:**

The packaging shall always be used according to the requirements of the applicable UN-code and its packaging instructions.

Packaging groups	Content	Max r. density	Max v. pressure at +50°C
II	Liquid substances that do not adversely affect the packaging materials	2.0	114 kPa
III	Liquid substances that do not adversely affect the packaging materials	3.0	114 kPa

**Documents based upon for approval:**

Report id.	Date	Issued by	Scope
NET6712A	21.04.2010	NET	Type testing
NET6712A-1	21.10.2011	NET	Additional type testing

Lerum, Sweden: **21.10.2011**

Certificate is valid until: **31.10.2016**



**Susanne Dahlberg**  
Certification Officer



**Rune Madsen Fink**  
Control Officer

**Nordisk Emballasje Testing AS**  
**Certification**